

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(match\$3 or predict\$3) near15 statement\$1 near10 (command\$1 or request\$1) near15 (portion\$1 or part\$1)	USPAT	OR	OFF	2004/08/14 12:07
S2	41	(match\$3 or predict\$3) near15 statement\$1 near10 (command\$1 or request\$1)	USPAT	OR	OFF	2004/08/13 14:56
S3	1	(match\$3 or predict\$3) near15 statement\$1 near10 (command\$1 or request\$1).ab.	USPAT	OR	OFF	2004/08/13 13:57
S4	1	"5878223".pn.	USPAT	OR	OFF	2004/08/13 13:59
S5	37	"5878223".URPN.	USPAT	OR	OFF	2004/08/13 14:00
S6	130985	"5878223".URPN. and (predict\$3 or match\$3) near15 portion\$1 or part\$1 near15 (command\$1 or statement\$1 or function\$1 or routine\$1)	USPAT	OR	OFF	2004/08/13 14:01
S7	0	"5878223".URPN. and (predict\$3 or match\$3) near15 (portion\$1 or part\$1) near15 (command\$1 or statement\$1 or function\$1 or routine\$1)	USPAT	OR	OFF	2004/08/13 14:01
S8	9	"5878223".URPN. and (predict\$3 or match\$3) near15 (command\$1 or statement\$1 or function\$1 or routine\$1)	USPAT	OR	OFF	2004/08/13 14:09
S9	56	prefetch\$3 near15 (portion\$1 or part\$1) near15 (command\$1 or statement\$1 or function\$1 or routine\$1)	USPAT	OR	OFF	2004/08/13 14:29
S10	13	prefetch\$3 near15 (portion\$1 or part\$1) near15 (command\$1 or statement\$1 or function\$1 or routine\$1) near15 request\$1	USPAT	OR	OFF	2004/08/13 14:10
S11	43	prefetch\$3 near15 (portion\$1 or part\$1) near15 (command\$1 or statement\$1 or function\$1 or routine\$1)not (prefetch\$3 near15 (portion\$1 or part\$1) near15 (command\$1 or statement\$1 or function\$1 or routine\$1) near15 request\$1)	USPAT	OR	OFF	2004/08/13 14:30
S12	11	"5619663".URPN.	USPAT	OR	OFF	2004/08/13 14:55
S13	38972	"5619663".URPN. (portion\$1 or part\$1)near15 (statement\$1 or command\$1 or request\$1)	USPAT	OR	OFF	2004/08/13 14:53

S14	1	"5619663".URPN. and (portion\$1 or part\$1)near15 (statement\$1 or command\$1 or request\$1)	USPAT	OR	OFF	2004/08/13 14:53
S15	4	"5619663".URPN. and network	USPAT	OR	OFF	2004/08/13 14:56
S16	760	(match\$3 or predict\$3) near15 (statement\$1)	USPAT	OR	OFF	2004/08/13 14:57
S17	0	(match\$3 or predict\$3) near15 (statement\$1) near15 prefetch\$3	USPAT	OR	OFF	2004/08/13 14:57
S18	37	(match\$3 or predict\$3) near15 (portion\$1 or part\$1) near14 (statement\$1)	USPAT	OR	OFF	2004/08/13 14:58
S19	0	(match\$3 or predict\$3) near15 (portion\$1 or part\$1) near14 (statement\$1)same prefetch\$3	USPAT	OR	OFF	2004/08/13 14:58
S20	6	(match\$3 or predict\$3) near15 (portion\$1 or part\$1) near14 (statement\$1)and prefetch\$3	USPAT	OR	OFF	2004/08/13 15:02
S21	3	prefetch\$3 near15 (statement\$1) and client\$1	USPAT	OR	OFF	2004/08/13 15:02
S22	24	prefetch\$3 near15 (statement\$1)	USPAT	OR	OFF	2004/08/13 15:05
S23	0	prefetch\$3 near15 (portion\$1 or part\$1) near15(statement\$1)	USPAT	OR	OFF	2004/08/13 15:05
S24	0	prefetch\$3 near15 (statement\$1) near15 (predict\$3 or match\$3)	USPAT	OR	OFF	2004/08/13 15:06
S25	25790	(match\$3 or predict\$3) same (command\$1 or request\$1 or statement\$1)	USPAT	OR	OFF	2004/08/14 12:07
S26	2651	client with request\$3 and(match\$3 or predict\$3) same (command\$1 or request\$1 or statement\$1)	USPAT	OR	OFF	2004/08/14 12:09
S27	892	client with request\$3 same(match\$3 or predict\$3) same (command\$1 or request\$1 or statement\$1)	USPAT	OR	OFF	2004/08/14 12:09
S28	88	client with request\$3 same(match\$3 or predict\$3) same (command\$1 or request\$1 or statement\$1) near15 database\$1	USPAT	OR	OFF	2004/08/14 12:09
S29	54	client with request\$3 same(match\$3 or predict\$3) same (command\$1 or request\$1 or statement\$1).ab.	USPAT	OR	OFF	2004/08/14 12:10
S30	1	client with request\$3 same(match\$3 or predict\$3) same (command\$1 or statement\$1).ab.	USPAT	OR	OFF	2004/08/14 12:10
S31	56	client with request\$3 same(match\$3 or predict\$3) same (command\$1 or statement\$1)	USPAT	OR	OFF	2004/08/14 12:12

S32	62	client with request\$3 same(match\$3 or predict\$3) same (command\$1 or statement\$1 or instruction\$1) and execut\$5 near15 (command\$2 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2004/08/14 12:13
S33	7	client with request\$3 same(predict\$3) same (command\$1 or statement\$1 or instruction\$1) and execut\$5 near15 (command\$2 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2004/08/14 12:20
S34	3	client with request\$3 and(predict\$3) same portion\$1 with (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2004/08/14 12:21
S35	3	client with request\$3 and(predict\$3) same portion\$1 near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2004/08/14 12:43
S36	445	(predict\$3)near15 (command\$1 or statement\$1 or instruction\$1) same portion\$1 near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2004/08/14 12:43
S37	14	receiv\$3 near15 portion\$1 near15 (command\$1 or statement\$1 or instruction\$1) near15 (predict\$3)near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2004/08/14 12:45
S38	1	"6230260".pn.	USPAT	OR	OFF	2004/08/15 15:31
S39	10	"6230260".URPN.	USPAT	OR	OFF	2004/08/15 15:31
S40	3915	(predict\$3)near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2004/08/16 16:31
S41	827	(stor\$3 or cach\$3) near15 history near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2004/08/16 16:32
S42	2	(stor\$3 or cach\$3) near15 history near15 (command\$1 or statement\$1 or instruction\$1) near15 repetition\$1	USPAT	OR	OFF	2004/08/16 16:40
S43	2016	(stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2004/08/16 16:43
S44	1224	(stor\$3 or cach\$3) near15 repeat\$3 near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2004/08/16 16:41

S45	0	(stor\$3 or cach\$3) near15 repeat\$3 near15 (command\$1 or statement\$1 or instruction\$1) near15 receiv\$3 near10 server\$1	USPAT	OR	OFF	2004/08/16 16:42
S46	3	(stor\$3 or cach\$3) near15 repeat\$3 near15 (command\$1 or statement\$1 or instruction\$1) near15 server\$1	USPAT	OR	OFF	2004/08/16 16:42
S47	7	(stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 server\$1	USPAT	OR	OFF	2004/08/16 16:44
S48	0	(stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 server\$1 and predetermin\$3 with time\$1	USPAT	OR	OFF	2004/08/16 16:46
S49	7	(stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 server\$1 and time\$1	USPAT	OR	OFF	2004/08/16 16:48
S50	6	(stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1 near15 (server\$1 or client\$1)	USPAT	OR	OFF	2004/08/16 16:48
S51	25	(stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1	USPAT	OR	OFF	2004/08/16 16:52
S52	4	(stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1 near15 number	USPAT	OR	OFF	2004/08/16 16:54
S53	84	(stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 number with time\$1	USPAT	OR	OFF	2004/08/16 16:55

S54	79	(stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 number with time\$1 not (((stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1) or ((stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1 near15 number))	USPAT	OR	OFF	2004/08/16 17:01
S55	6	(stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 (base or bas\$3 or based) near15 number with time\$1 not (((stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1) or ((stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1 near15 number))	USPAT	OR	OFF	2004/08/16 17:04
S56	2	(stor\$3 or cach\$3) near15 (base or bas\$3 or based) near15 (number near6 time\$1 near6 receiv\$2)near10 server\$1 not (((stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1) or ((stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1 near15 number))	USPAT	OR	OFF	2004/08/16 17:06

S57	41	(stor\$3 or cach\$3) near15 (base or bas\$3 or based) near15 (number near6 time\$1 near6 receiv\$2) not (((stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1) or ((stor\$3 or cach\$3) near15 (history or repeat\$3) near15 (command\$1 or statement\$1 or instruction\$1)near15 receiv\$3 near15 time\$1 near15 number))	USPAT	OR	OFF	2004/08/16 17:09
S58	0	(stor\$3 or cach\$3) with database. ti. and(base or bas\$3 or based) near15 predetermin\$3 with(number near6 time\$1 near6 receiv\$2)	USPAT	OR	OFF	2004/08/16 17:10
S59	0	(stor\$3 or cach\$3) with database. ab. and (stor\$3 or cach\$3) near15 predetermin\$3 with(number near6 time\$1 near6 receiv\$2)	USPAT	OR	OFF	2004/08/16 17:11
S60	2	(stor\$3 or cach\$3) with database. ab. and(base or bas\$3 or based) near15 predetermin\$3 with(number near6 time\$1 near6 receiv\$2)	USPAT	OR	OFF	2004/08/16 17:11
S61	0	manag\$6 with database.ti. and(base or bas\$3 or based) near15 predetermin\$3 with(number near6 time\$1 near6 receiv\$2)	USPAT	OR	OFF	2004/08/16 17:12
S62	1	manag\$6 with database.ti. and predetermin\$3 with(number near6 time\$1 near6 receiv\$2)	USPAT	OR	OFF	2004/08/16 17:24
S63	0	database near10 (repeat\$1 or history) with command\$1 and predetermin\$3 with(number near6 time\$1 near6 receiv\$2)	USPAT	OR	OFF	2004/08/16 17:26
S64	0	database near10 (repeat\$2 or history) with command\$1 and predetermin\$3 with(number near6 time\$1 near6 receiv\$2)	USPAT	OR	OFF	2004/08/16 17:26
S65	49	database near10 (repeat\$2 or history) with command\$1	USPAT	OR	OFF	2004/08/16 17:26
S66	0	database near10 (repeat\$2 or history) with command\$1 and number with time\$1 with received	USPAT	OR	OFF	2004/08/16 17:27

S67	0	database near10 (repeat\$2 or history) with command\$1 and number with repetition\$1 with received	USPAT	OR	OFF	2004/08/16 17:27
S68	0	database near10 (repeat\$2 or history) with command\$1 and repetition\$1 with received	USPAT	OR	OFF	2004/08/16 17:31
S69	2	database near10 (repeat\$2 or history) and repetition\$1 with received	USPAT	OR	OFF	2004/08/16 17:28
S70	10	stor\$3 near15 (bas\$3 or base or based)near15 repetition\$1 with received	USPAT	OR	OFF	2004/08/16 17:29
S71	0	cach\$3 near15 (bas\$3 or base or based)near15 repetition\$1 with received	USPAT	OR	OFF	2004/08/16 17:30
S72	0	(bas\$3 or base or based)near15 repetition\$1 with received with server	USPAT	OR	OFF	2004/08/16 17:30
S73	1	database near10 (repeat\$2 or history) near15 received with command\$1	USPAT	OR	OFF	2004/08/16 17:31
S74	6	database near15 repeated with command\$1	USPAT	OR	OFF	2004/08/16 17:32
S75	1	database near15 repeated with command\$1 and (number\$1 or repetition\$1 or two or twice) with received	USPAT	OR	OFF	2004/08/16 17:34
S76	0	database near15 repeated adj command\$1	USPAT	OR	OFF	2004/08/16 17:34
S77	38	database near15 (repeated or history) near10 command\$1	USPAT	OR	OFF	2004/08/16 17:34
S78	8	database near15 (repeated or history) near10 command\$1 and (number\$1 or repetition\$1 or two or twice) with received	USPAT	OR	OFF	2004/08/16 17:36
S79	113	database near15 (received or repeated or history) near10 command\$1 and (number\$1 or repetition\$1 or two or twice) with received	USPAT	OR	OFF	2004/08/16 17:36
S80	27	database near15 (received or repeated or history) near10 command\$1 and stor\$3 near15(number\$1 or repetition\$1 or two or twice) with received	USPAT	OR	OFF	2004/08/16 17:42
S81	9301	instruction\$1 near15 cach\$3	USPAT	OR	OFF	2004/08/16 17:42

S82	43	instruction\$1 near15 cach\$3 and number near5 (time\$1 or repetition\$1) near8 received	USPAT	OR	OFF	2004/08/16 17:43
S83	30	instruction\$1 near15 cach\$3 and number adj5 (time\$1 or repetition\$1) near8 received	USPAT	OR	OFF	2004/08/16 17:44
S84	1	instruction\$1 near15 cach\$3 and (cach\$3 or stor\$3) near10 number adj5 (time\$1 or repetition\$1) near8 received	USPAT	OR	OFF	2004/08/16 17:46
S85	2	instruction\$1 near15 cach\$3 and (bas\$2 or bas\$3)near15 number adj5 (time\$1 or repetition\$1) near8 received	USPAT	OR	OFF	2004/08/16 17:49
S86	30	instruction\$1 near15 cach\$3 and number adj5 (time\$1 or repetition\$1) near8 received	USPAT	OR	OFF	2004/08/16 17:49
S87	1	"6230260".pn. and receiv\$3	USPAT	OR	OFF	2004/08/17 12:37
S88	1	"6230260".pn. and writ\$3	USPAT	OR	OFF	2004/08/17 12:53
S89	1	"6230260".pn. and (memor\$3 or stor\$3 or receiv\$3)	USPAT	OR	OFF	2004/08/17 12:54
S90	1	"5758087".pn. and (memor\$3 or stor\$3 or receiv\$3)	USPAT	OR	OFF	2004/08/17 13:00
S91	1	"5758087".pn. and client near10 (memor\$3 or stor\$3 or receiv\$3)	USPAT	OR	OFF	2004/08/17 13:00
S92	1016	(prefetch\$3 or predict\$6) near15 (part\$1 or portion\$1) near15 (instruction\$1 or quer\$4 or command\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/28 17:20
S93	70	(prefetch\$3 or predict\$6) near15 (part\$1 or portion\$1) near15 (instruction\$1 or quer\$4 or command\$1)and client\$1	US-PGPUB; USPAT	OR	OFF	2005/03/28 17:20
S94	14	(prefetch\$3 or predict\$6) near15 (part\$1 or portion\$1) near15 (instruction\$1 or quer\$4 or command\$1)and client\$1 and receiv\$4 near15 (part\$1 or portion\$1) near15 (instruction\$1 or quer\$4 or command\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/28 17:30
S95	11	(predict\$6) near15 (part\$1 or portion\$1) near15 (instruction\$1 or quer\$4 or command\$1)and client\$1 and receiv\$4 near15 (part\$1 or portion\$1) near15 (instruction\$1 or quer\$4 or command\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/28 17:32

S96	40	(predict\$6) near15 (instruction\$1 or quer\$4 or command\$1)and client\$1 and receiv\$4 near15 (part\$1 or portion\$1) near15 (instruction\$1 or quer\$4 or command\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/28 17:32
S97	30	(predict\$6) near15 (instruction\$1 or quer\$4 or command\$1)and client\$1 and receiv\$4 near15 (part\$1 or portion\$1) near15 (instruction\$1 or quer\$4 or command\$1) not S95	US-PGPUB; USPAT	OR	OFF	2005/03/28 17:32
S98	29	predict\$5 same receiv\$3 near15 portion\$1 near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2005/03/29 09:35
S99	10	("6230260").URPN.	USPAT	OR	OFF	2005/03/29 09:43
S100	3	("6230260").URPN. and predict\$5	USPAT	OR	OFF	2005/03/29 09:46
S101	0	("6230260").URPN. and predict\$5 and client\$1	USPAT	OR	OFF	2005/03/29 09:47
S102	32	predict\$5 same instruction\$1 same client\$1	USPAT	OR	OFF	2005/03/29 10:11
S103	7	("5758087").URPN.	USPAT	OR	OFF	2005/03/29 10:04
S104	4	("5758087").URPN. and predict\$6	USPAT	OR	OFF	2005/03/29 10:04
S105	226	predict\$5 same (command\$1 or quer\$4 or request\$1) same client\$1	USPAT	OR	OFF	2005/03/29 10:11
S106	12	predict\$5 same (command\$1 or quer\$4 or request\$1) same client\$1.ab.	USPAT	OR	OFF	2005/03/29 10:15
S107	12	predict\$5 same (command\$1 or quer\$4 or request\$1) same client\$1.ab. and predict\$4	USPAT	OR	OFF	2005/03/29 10:32
S108	2	predict\$5 same portion\$1 near10(command\$1 or quer\$4 or request\$1) same client\$1 and predict\$4	USPAT	OR	OFF	2005/03/29 10:37
S109	9	predict\$5 same part near10(command\$1 or quer\$4 or request\$1) same client\$1 and predict\$4	USPAT	OR	OFF	2005/03/29 10:59
S110	70	predict\$5 same (instruction\$1 or command\$1 or quer\$4 or request\$1) same client\$1 and (part\$1 or portion\$1) near3 (instruction\$1 or command\$1 or quer\$4 or request\$1)	USPAT	OR	OFF	2005/03/29 12:23

S11 1	7	predict\$5 same (instruction\$1 or command\$1 or quer\$4 or request\$1) same client\$1 same routine\$1	USPAT	OR	OFF	2005/03/29 12:29
S11 2	0	predict\$5 same statement\$1 same client\$1 same routine\$1	USPAT	OR	OFF	2005/03/29 12:29
S11 3	13	predict\$5 same (instruction\$1 or command\$1 or quer\$4 or request\$1) same client\$1 and (instruction\$1 or command\$1 or quer\$4 or request\$1) near10 routine\$1	USPAT	OR	OFF	2005/03/29 12:29
S11 4	9	predict\$5 same (instruction\$1 or command\$1 or quer\$4 or request\$1) same client\$1 and (instruction\$1 or command\$1 or quer\$4 or request\$1) near10 routine\$1 not S111	USPAT	OR	OFF	2005/03/29 12:31
S11 5	9	predict\$5 same (instruction\$1 or command\$1 or quer\$4 or request\$1) same client\$1 and (instruction\$1 or command\$1 or quer\$4 or request\$1) near10 routine\$1 not S111 and predict\$6	USPAT	OR	OFF	2005/03/29 13:00
S11 6	17	predict\$5 same statement\$1 same client\$1	USPAT	OR	OFF	2005/03/29 12:50
S11 7	24	predict\$5 same statement\$1 same client\$1	US-PGPUB; USPAT	OR	OFF	2005/03/29 12:50
S11 8	3	predict\$5 same (instruction\$1 or command\$1 or quer\$4 or request\$1) same client\$1 same statement\$1	USPAT	OR	OFF	2005/03/29 13:00
S11 9	6	predict\$5 same (instruction\$1 or command\$1 or quer\$4 or request\$1) same client\$1 same statement\$1	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:03
S12 0	795	predict\$5 same statement\$1	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:03
S12 1	516	predict\$5 same statement\$1 and (command\$1 or instruction\$1 or quer\$4)	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:04
S12 2	116	predict\$5 same statement\$1 and (command\$1 or instruction\$1 or quer\$4) and client\$1	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:04
S12 3	116	predict\$5 same statement\$1 and (command\$1 or instruction\$1 or quer\$4) and client\$1 and predict\$5	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:05

S12 4	50	predict\$5 same statement\$1 and (command\$1 or instruction\$1 or quer\$4) same client\$1 and predict\$5	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:23
S12 5	0	predict\$5 same statement\$1 same routine and client\$1 and predict\$5	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:23
S12 6	6	predict\$5 same statement\$1 same routine	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:24
S12 7	0	predict\$5 same statement\$1 same routine and client\$1	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:24
S12 8	30	predict\$5 same statement\$1 same command\$1	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:24
S12 9	1	predict\$5 same statement\$1 same command\$1 near set	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:24
S13 0	30	predict\$5 same statement\$1 same command\$1	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:25
S13 1	3	predict\$5 same statement\$1 same command\$1 and client\$1	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:27
S13 2	15	predict\$5 same statement\$1 same (request\$1 or quer\$4) and client\$1	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:32
S13 3	24	predict\$5 same (request\$1 or quer\$4 or command\$1 or instruction\$1) same statement\$1 and client\$1	US-PGPUB; USPAT	OR	OFF	2005/03/29 13:48
S13 4	1	"6230260".pn.	USPAT	OR	OFF	2005/03/29 17:41
S13 5	1	"6314561".pn.	USPAT	OR	OFF	2005/03/29 17:42
S13 6	4123	(predict\$3)near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2005/03/30 09:53
S13 7	7	(predict\$3)near15 sql near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2005/03/30 09:55
S13 8	14	(predict\$3)same sql near15 (command\$1 or statement\$1 or instruction\$1)	USPAT	OR	OFF	2005/03/30 10:21
S13 9	38	(predict\$3)same sql near15 (command\$1 or statement\$1 or instruction\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/30 10:06
S14 0	21	(predict\$3)same sql near15 (command\$1 or statement\$1 or instruction\$1) and match\$3	US-PGPUB; USPAT	OR	OFF	2005/03/30 09:58
S14 1	17	(predict\$3)same sql near15 (command\$1 or statement\$1 or instruction\$1)not S140	US-PGPUB; USPAT	OR	OFF	2005/03/30 10:25

S14 2	14	(predict\$3)same sql near15 (command\$1 or statement\$1 or instruction\$1)and predict\$3	USPAT	OR	OFF	2005/03/30 10:21
S14 3	1	(predict\$3)same sql near15 (command\$1 or statement\$1 or instruction\$1)and "6629095".pn.	US-PGPUB; USPAT	OR	OFF	2005/03/30 10:28
S14 4	686	(predict\$3)same (procedure\$1 or command\$1 or statement\$1 or instruction\$1) same statement\$1	US-PGPUB; USPAT	OR	OFF	2005/03/30 10:30
S14 5	15	(predict\$3)same (procedure\$1 or command\$1 or statement\$1 or instruction\$1) same statement\$1. ab.	US-PGPUB; USPAT	OR	OFF	2005/03/30 10:34
S14 6	447	(predict\$3)same (procedure\$1 or command\$1 or statement\$1 or instruction\$1) same statement\$1 and (history or match\$3)	US-PGPUB; USPAT	OR	OFF	2005/03/30 10:34
S14 7	527320	(predict\$3)same (procedure\$1 or command\$1 or statement\$1 or instruction\$1) same statement\$1 and (history or match\$3) database	US-PGPUB; USPAT	OR	OFF	2005/03/30 10:34
S14 8	225	(predict\$3)same (procedure\$1 or command\$1 or statement\$1 or instruction\$1) same statement\$1 and (history or match\$3) and database	US-PGPUB; USPAT	OR	OFF	2005/03/30 10:35
S14 9	73	(predict\$3)same (procedure\$1 or command\$1 or statement\$1 or instruction\$1) same statement\$1 and (history or match\$3) and database and client\$1	US-PGPUB; USPAT	OR	OFF	2005/03/30 10:35
S15 0	68	(predict\$3)same (procedure\$1 or command\$1 or statement\$1 or instruction\$1) same statement\$1 and (history or match\$3) and database and client\$1 not S139	US-PGPUB; USPAT	OR	OFF	2005/03/30 10:35
S15 1	640	receiv\$3 near15 statement\$1 and client\$1	USPAT	OR	OFF	2005/03/30 17:41
S15 2	225	receiv\$3 near15 statement\$1 and client\$1 and sql near3 statement\$1	USPAT	OR	OFF	2005/03/30 17:41
S15 3	108	receiv\$3 near15 statement and client\$1 and sql near3 statement\$1	USPAT	OR	OFF	2005/03/30 17:41
S15 4	53	receiv\$3 near15 statement and client\$1 and sql near3 statement\$1 and match\$3	USPAT	OR	OFF	2005/03/30 17:43

S15 5	9	receiv\$3 near15 statement and client\$1 and sql near3 statement\$1 and (match\$3 or recogniz\$5) near15 previous\$3	USPAT	OR	OFF	2005/03/30 17:44
S15 6	173	receiv\$3 near15 statement\$1 and subsequen\$5 near10 statement\$1	USPAT	OR	OFF	2005/03/31 11:01
S15 7	138	receiv\$3 near15 statement and subsequen\$5 near10 statement\$1	USPAT	OR	OFF	2005/03/31 11:02
S15 8	0	receiv\$3 near15 statement and predict\$6 near15 subsequen\$5 near10 statement\$1	USPAT	OR	OFF	2005/03/31 11:02
S15 9	43	receiv\$3 near15 statement same subsequen\$5 near10 statement\$1	USPAT	OR	OFF	2005/03/31 11:19
S16 0	9	receiv\$3 near15 statement same subsequen\$5 near10 statement\$1 and (recogniz\$6 or match\$3) near15 statement	USPAT	OR	OFF	2005/03/31 11:04
S16 1	4	receiv\$3 near15 statement same subsequen\$5 near10 statement\$1 and (recogniz\$6 or match\$3) near15 statement and sql near3 statement\$1	USPAT	OR	OFF	2005/03/31 11:04
S16 2	0	receiv\$3 near15 statement same subsequen\$5 near10 statement\$1 near10 without	USPAT	OR	OFF	2005/03/31 11:18
S16 3	1	receiv\$3 near15 statement same subsequen\$5 near10 statement\$1 same without	USPAT	OR	OFF	2005/03/31 11:18
S16 4	14	receiv\$3 near15 statement same subsequen\$5 near10 statement\$1 and sql near3 statement\$1	USPAT	OR	OFF	2005/03/31 11:19
S16 5	10	receiv\$3 near15 statement same subsequen\$5 near10 statement\$1 and sql near3 statement\$1 not S161	USPAT	OR	OFF	2005/03/31 12:11
S16 6	1	statement\$1 and "6275830".pn.	USPAT	OR	OFF	2005/03/31 14:39
S16 7	1	"20020065921"	US-PGPUB; USPAT	OR	OFF	2005/03/31 14:40
S16 8	1	"6301229".pn. and tunnel\$4	USPAT	OR	OFF	2005/04/01 12:26
S16 9	1	"20020007414"	US-PGPUB; USPAT	OR	OFF	2005/04/01 12:27
S17 0	1	"6230260".pn.	USPAT	OR	OFF	2005/05/02 13:19
S17 1	10	("6230260").URPN.	USPAT	OR	OFF	2005/05/02 13:21

S17 2	0	"6748378".pn. and statements	USPAT	OR	OFF	2005/05/04 14:31
S17 3	1	"6748378".pn. and statement	USPAT	OR	OFF	2005/05/04 14:42
S17 4	1	"6718322".pn. and server	USPAT	OR	OFF	2005/05/04 15:07
S17 5	1	"6718322".pn. and client\$1	USPAT	OR	OFF	2005/05/04 15:07